

You are here: [Home](#) > [Projects](#) > [SSL Server Test](#) > trasparenza-583.risolvopc.com


SSL Report: trasparenza-583.risolvopc.com (195.231.0.225)

Assessed on: Tue, 01 Oct 2024 12:55:27 UTC | [Hide](#) | [Clear cache](#)

[Scan Another »](#)

Summary

Overall Rating



Visit our [documentation page](#) for more information, configuration guides, and books. Known issues are documented [here](#).

This site works only in browsers with SNI support.

This server supports TLS 1.3.

HTTP Strict Transport Security (HSTS) with long duration deployed on this server. [MORE INFO »](#)

Certificate #1: RSA 2048 bits (SHA256withRSA)



Server Key and Certificate #1



Subject	trasparenza-583.risolvopc.com Fingerprint SHA256: 0b7aec71303bdae50cc801bf387c8f74d24d9439017a86fe617b5456d9d58cd Pin SHA256: xUq\$1Q9UsQTPz26fC+aAsZlW98x8jwMjXC0hD2AIVU=
Common names	trasparenza-583.risolvopc.com
Alternative names	trasparenza-583.risolvopc.com
Serial Number	04cafac4f083a6125f949ee27345b4c269f4
Valid from	Sun, 08 Sep 2024 13:02:51 UTC
Valid until	Sat, 07 Dec 2024 13:02:50 UTC (expires in 2 months and 6 days)
Key	RSA 2048 bits (e 65537)
Weak key (Debian)	No
Issuer	R10 AIA: http://r10.i.lencr.org/
Signature algorithm	SHA256withRSA
Extended Validation	No
Certificate Transparency	Yes (certificate)
OCSP Must Staple	No
Revocation information	OCSP OCSP: http://r10.o.lencr.org
Revocation status	Good (not revoked)
DNS CAA	No (more info)
Trusted	Yes Mozilla Apple Android Java Windows



Additional Certificates (if supplied)



Certificates provided	2 (2583 bytes)
Chain issues	None

Additional Certificates (if supplied)



#2

Subject	R10 Fingerprint SHA256: 9d7c3f1aa6ad2b2ec0d5cf1e246f8d9ae6cbc9fd0755ad37bb974b1f2fb603f3 Pin SHA256: K7rZOrXHknnsEhUH8nLL4MZkejquUulvOlr6tCa0rbo=
Valid until	Fri, 12 Mar 2027 23:59:59 UTC (expires in 2 years and 5 months)
Key	RSA 2048 bits (e 65537)
Issuer	ISRG Root X1
Signature algorithm	SHA256withRSA



Certification Paths



[Click here to expand](#)

Certificate #2: RSA 2048 bits (SHA256withRSA) No SNI



[Click here to expand](#)

Configuration



Protocols

TLS 1.3	Yes
TLS 1.2	Yes*
TLS 1.1	No
TLS 1.0	No
SSL 3	No
SSL 2	No

(* Experimental: Server negotiated using No-SNI)



Cipher Suites

TLS 1.3 (suites in server-preferred order)



TLS_AES_256_GCM_SHA384 (0x1302)	ECDH x25519 (eq. 3072 bits RSA) FS	256
TLS_CHACHA20_POLY1305_SHA256 (0x1303)	ECDH x25519 (eq. 3072 bits RSA) FS	256
TLS_AES_128_GCM_SHA256 (0x1301)	ECDH x25519 (eq. 3072 bits RSA) FS	128

TLS 1.2 (suites in server-preferred order)



TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 (0xc02f)	ECDH x25519 (eq. 3072 bits RSA) FS	128
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 (0xc030)	ECDH x25519 (eq. 3072 bits RSA) FS	256
TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256 (0xcca8)	ECDH x25519 (eq. 3072 bits RSA) FS	256
TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 (0x9e)	DH 2048 bits FS	128
TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 (0x9f)	DH 2048 bits FS	256



Handshake Simulation

Android 4.4.2	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Android 5.0.0	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Android 6.0	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Android 7.0	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH x25519 FS
Android 8.0	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH x25519 FS
Android 8.1	-	TLS 1.3	TLS_AES_256_GCM_SHA384	ECDH x25519 FS
Android 9.0	-	TLS 1.3	TLS_AES_256_GCM_SHA384	ECDH x25519 FS

Handshake Simulation

BingPreview Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1	FS
Chrome 49 / XP SP3	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1	FS
Chrome 69 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH x25519	FS
Chrome 70 / Win 10	-	TLS 1.3	TLS_AES_256_GCM_SHA384	ECDH x25519	FS
Chrome 80 / Win 10 R	-	TLS 1.3	TLS_AES_256_GCM_SHA384	ECDH x25519	FS
Firefox 31.3.0 ESR / Win 7	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1	FS
Firefox 47 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1	FS
Firefox 49 / XP SP3	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1	FS
Firefox 62 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH x25519	FS
Firefox 73 / Win 10 R	-	TLS 1.3	TLS_AES_256_GCM_SHA384	ECDH x25519	FS
Googlebot Feb 2018	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH x25519	FS
IE 11 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2	TLS_DHE_RSA_WITH_AES_128_GCM_SHA256	DH 2048	FS
IE 11 / Win 8.1 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_DHE_RSA_WITH_AES_128_GCM_SHA256	DH 2048	FS
IE 11 / Win Phone 8.1 R	Server sent fatal alert: handshake_failure				
IE 11 / Win Phone 8.1 Update R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_DHE_RSA_WITH_AES_128_GCM_SHA256	DH 2048	FS
IE 11 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1	FS
Edge 15 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH x25519	FS
Edge 16 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH x25519	FS
Edge 18 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH x25519	FS
Edge 13 / Win Phone 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1	FS
Java 8u161	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1	FS
Java 11.0.3	-	TLS 1.3	TLS_AES_256_GCM_SHA384	ECDH secp256r1	FS
Java 12.0.1	-	TLS 1.3	TLS_AES_256_GCM_SHA384	ECDH secp256r1	FS
OpenSSL 1.0.1l R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1	FS
OpenSSL 1.0.2s R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1	FS
OpenSSL 1.1.0k R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH x25519	FS
OpenSSL 1.1.1c R	-	TLS 1.3	TLS_AES_256_GCM_SHA384	ECDH x25519	FS
Safari 6 / iOS 6.0.1	Server sent fatal alert: handshake_failure				
Safari 7 / iOS 7.1 R	Server sent fatal alert: handshake_failure				
Safari 7 / OS X 10.9 R	Server sent fatal alert: handshake_failure				
Safari 8 / iOS 8.4 R	Server sent fatal alert: handshake_failure				
Safari 8 / OS X 10.10 R	Server sent fatal alert: handshake_failure				
Safari 9 / iOS 9 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1	FS
Safari 9 / OS X 10.11 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1	FS
Safari 10 / iOS 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1	FS
Safari 10 / OS X 10.12 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1	FS
Safari 12.1.2 / MacOS 10.14.6 Beta R	-	TLS 1.3	TLS_AES_256_GCM_SHA384	ECDH x25519	FS
Safari 12.1.1 / iOS 12.3.1 R	-	TLS 1.3	TLS_AES_256_GCM_SHA384	ECDH x25519	FS
Apple ATS 9 / iOS 9 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1	FS
Yahoo Slurp Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1	FS
YandexBot Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1	FS

Not simulated clients (Protocol mismatch)



[Click here to expand](#)

- (1) Clients that do not support Forward Secrecy (FS) are excluded when determining support for it.
- (2) No support for virtual SSL hosting (SNI). Connects to the default site if the server uses SNI.
- (3) Only first connection attempt simulated. Browsers sometimes retry with a lower protocol version.
- (R) Denotes a reference browser or client, with which we expect better effective security.
- (All) We use defaults, but some platforms do not use their best protocols and features (e.g., Java 6 & 7, older IE).
- (All) Certificate trust is not checked in handshake simulation, we only perform TLS handshake.



Protocol Details

Secure Renegotiation

Supported

Secure Client-Initiated Renegotiation

No

Protocol Details

Insecure Client-Initiated Renegotiation	No
BEAST attack	Mitigated server-side (more info)
POODLE (SSLv3)	No, SSL 3 not supported (more info)
POODLE (TLS)	No (more info)
Zombie POODLE	No (more info)
GOLDENDOODLE	No (more info)
OpenSSL 0-Length	No (more info)
Sleeping POODLE	No (more info)
Downgrade attack prevention	Yes, TLS_FALLBACK_SCSV supported (more info)
SSL/TLS compression	No
RC4	No
Heartbeat (extension)	No
Heartbleed (vulnerability)	No (more info)
Ticketbleed (vulnerability)	No (more info)
OpenSSL CCS vuln. (CVE-2014-0224)	No (more info)
OpenSSL Padding Oracle vuln. (CVE-2016-2107)	No (more info)
ROBOT (vulnerability)	No (more info)
Forward Secrecy	Yes (with most browsers) ROBUST (more info)
ALPN	Yes h2 http/1.1
NPN	No
Session resumption (caching)	No (IDs assigned but not accepted)
Session resumption (tickets)	Yes
OCSP stapling	Yes
Strict Transport Security (HSTS)	Yes max-age=15768000
HSTS Preloading	Not in: Chrome Edge Firefox IE
Public Key Pinning (HPKP)	No (more info)
Public Key Pinning Report-Only	No
Public Key Pinning (Static)	No (more info)
Long handshake intolerance	No
TLS extension intolerance	No
TLS version intolerance	No
Incorrect SNI alerts	No
Uses common DH primes	No
DH public server param (Ys) reuse	No
ECDH public server param reuse	No
Supported Named Groups	x25519, secp256r1, x448, secp521r1, secp384r1 (server preferred order)
SSL 2 handshake compatibility	Yes
0-RTT enabled	No



HTTP Requests



1 <https://trasparenza-583.risolvopc.com/> (HTTP/1.1 200 OK)



Miscellaneous

Test date	Tue, 01 Oct 2024 12:54:06 UTC
Test duration	81.97 seconds
HTTP status code	200
HTTP server signature	nginx
Server hostname	host225-0-231-195.serverdedicati.aruba.it

